




**1 BLOWER BUILDING - EAST ELEVATION**  
 BB-1 SCALE: 1" = 5'



**2 BLOWER BUILDING - NORTH ELEVATION**  
 BB-1 SCALE: 1" = 5'



**3 BLOWER BUILDING - WEST ELEVATION**  
 BB-1 SCALE: 1" = 5'



**4 BLOWER BUILDING - SOUTH ELEVATION**  
 BB-1 SCALE: 1" = 5'

- SHEET NOTES:**
- REFER TO MECHANICAL DRAWINGS FOR PENETRATION REQUIREMENTS ON DUCTWORK, LOUVERS, ETC. VERIFY WALL PENETRATION SIZES AND DIMENSIONAL LOCATIONS WITH MECHANICAL EQUIPMENT REQUIREMENTS. PROVIDE TRIM, FLASHING AND SEALANT AROUND ALL PENETRATIONS PER SIDING MANUFACTURER.
  - REFER TO ARCHITECTURAL DETAILS FOR DOOR LITE REQUIREMENTS.
  - SET ALL LOUVER ELEVATIONS SO TOP OF LOUVER IS AT THE BOTTOM OF THE SIDING CONTRAST COLOR STRIP UNLESS OTHERWISE NOTED. COORDINATE WITH THE BUILDING SUPPLIER FOR OPENING REQUIREMENTS.
  - EACH STATIC ROOF VENT SHALL PROVIDE A MINIMUM FREE AREA FOR VENTILATION OF 1.0 SQUARE FEET.
  - STATIC ROOF VENTS SHALL BE INSTALLED AT EQUAL SPACING ALONG NORTH SIDE OF BUILDING WITH ONE VENT INSTALLED ON EACH OF THE EAST AND WEST SIDES OF THE BUILDING. ALL VENTS SHALL BE INSTALLED NEAR THE TOP OF ROOF SLOPE FOR MAXIMUM VENTILATION ACCORDING TO THE MANUFACTURER'S RECOMMENDATIONS.
  - FURNISH AND INSTALL THE QUANTITY OF STATIC ROOF VENTS REQUIRED TO PROVIDE A TOTAL MINIMUM FREE AREA FOR VENTILATION OF 6.0 SQUARE FEET.

REVISIONS		
NO.	DATE	DESCRIPTION
1	03/30/2012	ISSUED FOR DESIGN TEAM DISCUSSION
2	06/21/2012	ISSUED FOR BUILDING PERMIT SUBMITTAL TO PRRBD (BLOWER BUILDING)
3	07/17/2012	ISSUED FOR CONSTRUCTION PER PRRBD BLDG PERMIT NO. 129081 (BLOWER BLDG)

THIS DRAWING IS THE PROPERTY OF GMS, INC., AND IS NOT TO BE REPRODUCED, MODIFIED OR USED FOR ANY OTHER PROJECT OR EXTENSION OF THIS PROJECT EXCEPT BY AGREEMENT WITH THIS COMPANY.

© 2010 GMS, INC.

**ARCHITECTURAL ELEVATIONS**  
 HAROLD D. THOMPSON REGIONAL WATER RECLAMATION FACILITY  
 LOWER FOUNTAIN METROPOLITAN SEWAGE DISPOSAL DISTRICT

DRAWN	SKC	GMS, INC. CONSULTING ENGINEERS 611 N. WEBER, SUITE 300 COLORADO SPRINGS, COLORADO 80903	SHEET <b>BB-1</b> OF -
DESIGNED	MAM		
CHECKED	RJS		
DATE	2011		
PROJECT NO.	20166.362		
GMS FILE NO.	2599		

C:\P\MSDD\20166\362\BB1.dwg BB1 7/17/2012 1:32:41 PM ac DWG TJP PDF A3 1:1

XREF FILENAME: G:\  
 BASE DWG: G:\  
 PLOT STYLE FILE: 100SC.DWG  
 FILENAME: G:\P\MSDD\20166\362\BB1.dwg