



- SHEET NOTES:**
- * INDICATES DIMENSIONS THAT MAY VARY ACCORDING TO MANUFACTURER'S RECOMMENDATIONS. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS WITH THE EQUIPMENT MANUFACTURERS AND APPROVED SHOP SUBMITTAL DOCUMENTS.
 - ALL ELECTRICAL EQUIPMENT AND WORK IN THE PRELIMINARY TREATMENT AREA SHALL COMPLY WITH NEC REQUIREMENTS FOR A CLASS 1, DIVISION 2, GROUP C AND D ENVIRONMENT.
 - DARKENED SIDE OF PLUG VALVE INDICATES THE SEAT SIDE OF THE VALVE.

REVISIONS		
NO.	DATE	DESCRIPTION
1	04/08/2011	ISSUED FOR PREPARATION OF CMO
2	05/17/2011	ISSUED FOR PREPARATION OF CMO
3	06/20/2011	ISSUED FOR BUILDING PERMIT SUBMITTAL TO PPRBD (HEADWORKS BUILDING)
4	08/05/2011	ISSUED FOR CONSTRUCTION PER PPRBD BUILDING PERMIT #6810 (HEADWORKS BLDG)

PROCESS EQUIPMENT AND PIPING SECTIONS
HAROLD D. THOMPSON REGIONAL WATER RECLAMATION FACILITY
LOWER FOUNTAIN METROPOLITAN SEWAGE DISPOSAL DISTRICT

THIS DRAWING IS THE PROPERTY OF GMS, INC., AND IS NOT TO BE REPRODUCED, MODIFIED OR USED FOR ANY OTHER PROJECT OR EXTENSION OF THIS PROJECT EXCEPT BY AGREEMENT WITH THIS COMPANY.

DRAWN MAM/GLY
DESIGNED MAM
CHECKED RJS
DATE 2010
PROJECT NO. 20166.352
GMS FILE NO. 2599

GMS, INC.
CONSULTING ENGINEERS
611 N. WEBER, SUITE 300
COLORADO SPRINGS, COLORADO 80903

SHEET HW-15
OF -

2010 GMS, INC.