



- NOTES:**
1. = KEYED SLAB CONSTRUCTION JOINT WITH MIN. 8" CONTINUOUS WATERSTOP
 2. = KEYED WALL CONSTRUCTION JOINT WITH MIN. 8" CONTINUOUS WATERSTOP
 3. ALL WALL JOINTS SHALL BE A MINIMUM OF 4 FEET FROM THE CENTER OF ANY DRILLED PIER
 4. REFER TO THE DRILLED PIER PLANS FOR DETAILS ON DRILLED PIER LOCATIONS
 5. REFER TO STRUCTURAL PLANS FOR DETAILED STRUCTURAL INFORMATION
 6. REFER TO PIPING AND EQUIPMENT PLANS FOR REQUIREMENTS OF PIPING, ENCLOSURES AND APPURTENANCES BELOW TANK SLABS
 7. REFER TO SHEET G-3 FOR COORDINATE INFORMATION

SC-3 SECONDARY CLARIFIER COMPLEX STRUCTURE JOINTING PLAN
SCALE: 1" = 5'

REVISIONS

NO.	DATE	DESCRIPTION
1	10/29/2010	ISSUED FOR EXAMINATION AROUND SECONDARY CLARIFIER TANKS
2	03/30/2011	ISSUED FOR BUILDING PERMIT SUBMITTAL TO PRSDB (SECONDARY CLARIFIER COMPLEX)
3	06/19/2011	ISSUED FOR CONSTRUCTION (SECONDARY CLARIFIER COMPLEX)
4	07/07/2011	ISSUED FOR CONSTRUCTION (SECONDARY CLARIFIER COMPLEX)

THIS DRAWING IS THE PROPERTY OF GMS, INC., AND IS NOT TO BE REPRODUCED, MODIFIED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF THIS PROJECT EXCEPT BY AGREEMENT WITH THIS COMPANY.

JOINTING PLAN
HAROLD D. THOMPSON REGIONAL WATER RECLAMATION FACILITY
LOWER FOUNTAIN METROPOLITAN SEWAGE DISPOSAL DISTRICT

DRAWN: MAM
 DESIGNED: MAM/JP
 CHECKED: MKG
 DATE: 2010
 PROJECT NO.: 20166.362
 GMS FILE NO.: 2599

GMS, INC.
 CONSULTING ENGINEERS
 611 N. WEBER, SUITE 300
 COLORADO SPRINGS, COLORADO 80903

SHEET **SC-3** OF **1**

REF. FILENAME: G:\BEE DWG\01.PLT
 PLOT STYLE: G:\PLOT\GMS\GMS.ctb
 FILENAME: G:\UNPLOT\01\PLT\GMS.ctb